

The Problem Solved group presents:

Basic Cricket LED Scoreboard

All Enquires:

+447974565923

contact@ledcricket.co.uk

www.ledcricket.co.uk

Basic Cricket LED Scoreboard





Wireless Digital controller



SERIES PART NUMBER:	PS-CS10D-XXX
Digit Type	PCB circuit board with DIP LED
Digit Colour	Yellow as standard
Digit Height	8" 200mm, 12" 400mm, 16" 500mm, 20" 600mm
Led Quantity of Per Digit	98 / 182 / 245 / 434
Led Type	5mm mist LED - no dazzle
Control Type	Wireless digital controller Box
Cabinet Material	Mild steel, powder coated black
LED Life	100,000 Hours
Control Distance	50 Metres
Work Temperature	-20°C~ 60°C
Humidity	5% - 90% RH
Net Weight	60KGS – 200KGS
Installation	Not Included
Warranty	12 months
Average Power Consumption	< 50W
Front Side Protection	UV protection acrylic board
Power Supply Input – Mains (As standard)	Scoreboard - AC240V, 50Hz – 60Hz
	Controller - AC240V, 50Hz – 60Hz
Power Supply Input – Battery Option	Scoreboard – 12v DC – Battery available on request
	Controller – 4 AA Batteries



